

Beach Festival					
ID. No.	Brief Description of work	Quantity	Unit	Rate	Amount
1	<p>STRUCTURE:- Inaugural and Performance Stage: Inaugural and Performance Stage 40ft x 30ft. Preparing Steps/Stairs/Ramps with proper dimension for all different levels is part of scope of work. Provision for seating arrangements on stage will be required for VVIPs as directed by TCGL is part of scope of work. Provision of console arrangement on stage as per the requirement of TCGL is also the part of scope of work. All joints between sheets to be filled by self-adhesive cloth tape. The colour synthetic carpet to be laid on plywood with necessary flower arrangements as approved by TCGL. Suitable stage design is to be prepared by keeping in view of wind flow near sea. Suitable seating arrangements & CCTV Cameras having control in TCGL control/Admin. Providing Presentation Stage/Dias arrangements as per the requirements of committee members with executive chairs, sofa, presentation desk, podium, and Back drop arrangements. Providing necessary floral and theme decoration, banners, carpets on floors. Ensure structural soundness of entire structure during entire event obtain structure stability. If any modification alteration/addition on site is required same shall be made immediately without any extra charges to complete the job as directed by the Art Director and TCGL. Reshuffling of sitting arrangement with schedule and crowd of the event/program shall be arranged without any extra cost. Movement plan shall be provided. Necessary works are part of scope of works. Stage should be ready for reheasal on before one day of inauguration. All wiring should be in FRLS (ISI mark) & in rigid PVC conduit protected with ELCB & voltage stabilizer & dedicated earthing. Mode of measurement: Carpet area of the stage shall be measured. Total sofa, chairs and steps shall not be paid separately. Backdrop screen on stage shall not be measured separately. Mode of measurement: Built up area (Out to Out dimension of Main stage) in plan shall be measured of structure. Internal or External Ramps and Steps/stairs shall not be measured. (Due to Heavy wind velocity and sea sandy soil, agency need to add more bracing, supports, base plate to strengthen the structure)</p>	120	Sq.Mt.		
2a	<p>Sitting Arrangements for Cultural programme in front of Performance Stage:- Seating area in front of performance stage for Inaugural day to be provided on 100 mm raised wooden platform supported by wooden logs and using 19mm thick Fire retardent plywood including two coats of fire retardent paint , covered with good quality of synthetic carpet, red carpet for VVIP movement area and Agro net flooring for rest area including leveling and cleaning of the ground, providing necessary good quality of GI/MS Pipe/Channel barricading for public, different stages, walkways for public and VIP (with carpet). Necessary carpet, plants etc. shall be provided. The barricading and entry points shall be done considering requirement of Security/Police Department/TCGL. Define proper internal directional signages. Necessary defined access should be provided leading to performance area. Internal 3ft barricading restricting the VVIP area, VIP area, Tourist shall be provided. Movement plan has to be indicated. Reshuffling of the arrangement with respect to schedule and contents of event/program shall be arranged without any extra cost. Mode of Measurement:- Total quantity of sofa and chairs placed shall be recorded. Raised wooden platform shall not be measured separately. 2a. Sofa set (1seater/2 seater/3 seater) for VVIP & VIPs (On Wooden Platform) -</p>	50	seating		
2b	Cushioned chairs for Guests & Press/Media people	150	No.		
2c	PVC moulded chairs for invitees	800	No.		
3	<p>Non A.C. Green Rooms (Male & Female): Providing and fixing approximately 50 sqmt(25sq.mt. of Gents & 25 Sq.mt. of ladies seperate) octonorm structure with woollen carpet as approved carpet, furnishing & necessary lighting, decoration, seating arrangement with door curtains, storage racks, chairs, mirrors etc as per requirements of choreographer in all Rooms. The proposed green rooms should be behind the stage. The scope shall cover proper internal lighting, fans, plug points. The green rooms shall be provided with drinking water facility. it should be made functional from before two days of event opening. The construction shall ensure proper privacy. All wiring should be in rigid PVC conduit protected with ELCB & voltage stabilizer & dedicated earthing. Mode of measurement: Built up area (Out to Out dimensions of walls) in plan shall be measured of structure. (Due to Heavy wind velocity and sea sandy soil, agency need to add more bracing, supports, anchoring to strengthen the structure)</p>	50	Sq.Mt.		

4	<p>Admin/VVIP Lounge with facade as per theme based (A.C) With one of chemical toilet: P/E braced and tied M.S. Steel structure with outer face covered with white / coloured cloth/approved facade, Roof covered with waterproof and fire retardant fabric / good quality SRF PVC material, ceiling with white fabrics. Interior work as per the usage and purpose of room. Partitions shall be made in prefabricated aluminum sections (ht. up to 2.50 Mts.) with laminated panels with arrangements for doors, glass windows for seating and reception area with waiting lounge and providing necessary tables, sofa, chairs, dustbins, theme, pantry and drinking water facilities. Providing 150 to 300 mm raised platform with 19 mm thick Fire retardant Plywood/block boards supported by wooden logs and covered with good quality of synthetic carpet. Front facade with minimum 6 mm ply fixed on wooden/steel frame work and painting etc. complete. The scope shall cover to provide general lighting, fans, AC, CCTV Cameras having control in CCTV Control room. Necessary minimum 20 nos. electrical points (5/15A plug points), wall fan/ ceiling fan/ padestral fan/ exhaust fan as per requirement, General lighting (using Tubelights/PAR lights/Metal/Halogen/CFL/LED lights, etc.) for inside dome is a part of scope of work. The lights should be enough upto the satisfaction of TCGL/PMC and if required extra lighting shall be done without any extra cost. The entire area should be air conditioned and temperature should be maintained between 23 to 26 degree Celsius equally distributed. Agency need to external sides cover with using theme decorative flex with frame of ht. 6ft to 8ft as per requirement is a part of scope of work. All materials have to be fire-retardant material and necessary documentation evidence/certificates are to be provided. All wiring should be in rigid PVC conduit protected with ELCB & voltage stabilizer & dedicated earthing. The structure should be ready before one day. Mode of Measurement: - Built up area (Out to Out dimensions of walls) in plan shall be measured of structure. Outside porch and external passage shall not be measured. Other electrical equipments and material like general lighting (using Tubelights/PAR lights/Metal/Halogen/CFL/LED lights, etc.)(5/15 A plug points) etc), fans, AC, ELCB, MCB, wiring etc and related electrical items shall not be measured seperately. (Due to Heavy wind velocity and sea sandy soil, agency need to add more bracing, supports, anchoring to strengthen the strucutre)</p>	75	Sq.Mt.		
5	<p>Food stalls(Traditional Design) with separate washing & Sitting facilities: P/E Group of food stalls as per requirement at two-three different locations as per approved layout of about approx. 270 Sq.Mt. with necessary infrastructure. P/F covered braced and tied steel or wood structure with varying height, Roof covering with waterproof fire retardant material, Ceiling with white/ coloured fabric/cloth, 100 to 200 mm raised wooden platform using wooden logs and 19 mm fire retardant plywood/ block board including two coats of fire retardant paint. Provision of drinking water, dustbins and covered washing facilities, proper drainage, and garbage disposal provision. P/F synthetic carpet, internal lighting and fans, Plants, decorative Jhul/material. The scope shall also cover separate space for cooking area, washing area and service entry at 2-3 different locations. Washing area shall be of minimum 25 Sq.Mt. area at each location with proper water supply and drainage facility. The scope shall also cover to provide proper lighting, minimum four numbers of plug (5/15 A) points and 20 A MCB points in each food stall. Creating sitting arrangement and creating Ambience in open space is part of scope of work. Covered seating arrangements for 50 Nos. at each Segment/ Location are to be provided with approved fabric considering seasonal factors. Provision of CCTV Cameras having control in TCGL control room, internal pathways and barricading(Tin sheet & Cloth barricading) for managing people is part of scope of work. Fixity of partitions/octonorm panels to be ensured. As to ensure structural stability in heavy wind velocity, during entire event period. Ensure fire safety as per applicable norms. The Food stalls area will be open for public from date finalize by TCGL. Food courts/Service area/wash area shall be commissioned by as per instruction of TCGL. No separate payment shall be made for creating any supporting services. Provision of semi -permanent structure with waterproof covered roof, provision of minimum 10 stainless steel taps with sufficiently designed water supply and drainage system for wash area at each location. Approx size of each food stall shall be 9 Mt. x 3 Mt including 3 mtr. x 3 mtr. cooking area which is covered by inside and top cover with Tin sheet & outside cloth barricading as per requiered height, as per direction of TCGL/Consultant. All wiring should be in FRLS (ISI mark) & in rigid PVC conduit protected with ELCB & voltage stabilizer & dedicated earthing. Mode of measurement: measured based on unit No.Tin & cloth barricading of food stalls/Service area/wash area/sitting area/ for General public shall be part of scope of works and not to be considered seperately. all elecrical work and items like fan, switch, board, light etc. also not to be considered seperately. Pathways shall be measured and counted in their seperately items. (If washing area is not properly developedappropriate penalty shall be levelled over and abovethe immediate provision of the same.) (Due to Heavy wind velocity and sea sandy soil, agency need to add more bracing, supports, anchoring to strengthen the strucutre)</p>	5	Nos		

6	<p>Traditional Handicraft stalls: (At 2-3 locations) Providing and Erecting prefabricated aluminum octonorm sections with prelaminated ply wood, suitably braced and tied steel structure for stalls each of 9 Sq.Mt. (size 3 Mt.x3 Mt.) upto 300mm raised platforms shall be provided using 19 mm thick Fire retardant plywood/ block board including two coats of fire retardant paint and supported by wooden frame and covered with synthetic carpet, with octonorm Panels and roof covered from top with waterproof & Fire Retardent material. The scope also covers protection of all exterior wall against wind pressure by providing necessary GI Sheet barricading with decorative cloth covering sufficiently braced with MS pipe barricading on outer side of walls. Providing two no. chairs, laminated tables, chairs and racks, fascia with name of the stall holder, plants etc. Proper lighting, fans is to be provided. All wiring should be in FRLS(ISI mark) & in rigid PVC conduit protected with ELCB & voltage stabilizer & dedicated earthing. sitting area/paved pathways/GI Sheet barricading with decorative cloth covering, CFL lighting, Fans shall not be considered separately. Provision of CCTV Cameras having control in TCGL admin. Office/Police lounge, internal pathways and barricading(Tin sheet & Cloth barricading) for managing people is part of scope of work. As to ensure structural stability in heavy wind velocity, during entire event period. Writing names of stalls is part of scope. Necessary electrical points (5/15A plug points) should be provided. Providing wooden platforms in the center for sitting/display of products as per directions of TCGL is a part of scope.Mode of measurement shall be based unit No. Tin & cloth barricading of craft stalls/Service area//sitting area/ for General public shall be part of scope of works and not to be considered separately. Pathways shall be measured and counted in their seperately items. (Due to Heavy wind velocity and sea sandy soil, agency need to add more bracing, supports, anchoring to strengthen the strucutre)</p>	5	Nos		
7	<p>General & VVIP Entries:- The General Entry for public to the venue from approved locations with suitable Theme /design/creativity. The locations shall have to be finalized as per the Police Department/ Security requirements/ TCGL as indicated in conceptual layout. P/F Steel or wooden braced and tied structure with outer face covered with plywood. Structural stability of the structure has to be ensured. Providing layouts and display. General PA System, Speakers, Spot lights as well as area lighting should be provided. Suitable provisional arrangements should be considered to place metal detector doors at all gates. Necessary partitions are to be made for Male and Female section separately. Final elevation shall be approved by TCGL/Committee. Structural stability shall be certified by qualified Structural Engineer. As to ensure structural stability in heavy wind velocity, during entire event period. All gates shall be supported on R.C.C. foundations with required size bolts embedded to be designed by a competent structural designer or as approved by the Consultant. Ensure proper anchoring of entry gate with ground by suitable method as approved by Consultant/Structural Engineer. Considering all design/seasonal factors. Ensure minimum width of 4.5/5 Mts. and height of 6-8 Mts. Bider need to provide minimum 5 security guard for 24 hours for entire event period of age between 25-45 year. Mode of Measurement: Mode of measurement shall be unit no. based. (For 13th April 2016 to 17th April 2016)</p>	2	Nos		
8	<p>Floor covering: P/L whole area with Double layer fresh Jute/Agro net flooring/Red Carpet for all areas of venue except for the structures, already paved area and parking. The objective is to make entire venue dust free. Provision of red carpet wherever applicable is part of scope of work. Mode of Measurement:- Based on actual work executed on site. (Item is operated if required by TCGL.)Sand color flooring or matching with ambience shall be required.</p>	5000	Sq.Mt.		
9	<p>Welcome/Symbolic Pillars(Pair) : Welcome pillars of approved decorative theme are to be placed at approved locations i.e. Prominent Location in the city covering both the lanes of the road i.e. on both sides and as approved by TCGL/Committee. The height of welcome pillars shall be minimum 4 to 4.5 Mt. Provide display banners on star flex and write up on main length in Retro radium vinyl with base on star flex fix this flex on wooden ply which covered fourside of pillar. Providing MS steel structure with 10 to 12 mm plywood wherever required with necessary framings and bracing. All welcome pillars shall be supported on P.C.C. foundations with required size bolts embedded to be designed by a competent structural designer or as approved by the Consultant. All Welcome pillars shall be ready/erected by before two days. Structural engineer certificate shall be submitted by before one day. Necessary speed breakers shall be provided for Welcome pillars. The flex material shall be replaced as an when damaged and otherwise also after 15 days. Hence agency shall keep the printed flex set in advance, whcih is a part of scope of work. Mode of measurement shall be unit no. based. (Each pillar on both sides of road shall form one unit of pillars) (Note: If MS steel structure with 10 to 12 mm plywood is not used and welcome pillars are made from MS steel structure only without use of plywood, in such case welcome pillars rate shall be considered upto 60% of MS steel structure with 10 to 12 mm plywood pillars.) Mode of measurement: Mode of measurement shall be Unit No.(per pair) based. The submission of structural Engineer certificate is must for final payment recommendation. (5 pairs in Gujarati language.)</p>	10	Pair		

10a	Signages: Agency shall provide, print & fix different types of signages in approach roads including main Road - as instructed by TCGL. The signages shall be provided by way of proper anchoring/foundation, steel framing, bracing etc as to ensure structural stability in heavy wind velocity, during entire event period. As to ensure structural stability in heavy wind velocity, during entire event period. The signages made of vinyl flex, painted ply cutouts, vinyls as per creative designs which includes logo of Vibrant Gujarat & Gujarat Tourism as and when applicable, in all languages as instructed by TCGL. The bidder shall submit the size, layout, color scheme of each & every signage type as annexure along with technical bid. in following dimensions (a) Directional signages for all venues in sea shore like Food Stall, Craft Stalls, Adventure Sports, Stage, Service, facilities, parking, including toilets, first aid counter, entry, exit, parking, dome area Block & other prominent location - Minimum Dimension : 6 feet * 3 feet (Few of the signages shall be in Gujarati) (10 boards/signages for keeping the area cleaned/swachh Bharat Abhiyan. for Using dustbin, keeping sea and sea shore, venue cleaned.. etc.) Some of the directional signages should be installed in the town/on the way to the venue /on major spots in the town.	15	Nos.		
b	(B). Welcome signages/branding signage entire city area covering, external area direction signages-as directed by TCGL : Dimension : 8 feet * 4 feet (Few of the signages shall be in Gujarati)	20	Nos.		
c	(C) Location map : Dimension - 6 feet * 6 feet (one in English and one in Gujarati)	2	Nos.		
d	(d) Program Schedule 6ft * 6ft (one in English and one in Gujarati)	2	Nos.		
e	(E) Backlit Signages:- Agency shall provide, print & fix different types of backlit signages in Venue - as per creative designs which includes logo of Vibrant Gujarat & Gujarat Tourism as and when applicable, in all languages as instructed by TCGL. The signages shall be provided by way of proper anchoring/foundation, steel framing, bracing etc as to ensure structural stability in heavy wind velocity, during entire event period. The bidder shall submit the size, layout, color scheme of each & every backlit signage as annexure along with technical bid. Dimension: 4 feet * 4 feet (Two in Gujarati)	4	Nos.		
11	Drinking Water Counters (3mt. X 3mt):- (For entire event) Providing, Supplying & serving packaged drinking water using 20 liters water bottles (minimum 100 bottles per day) as per requirements of the full day on 8'x2' counters properly covered with fabric, table tops under 10'x10' covered structures from top and sides. The scope shall include providing minimum one manpower to each counter for serving the water, 20 liters water bottles and Disposable glasses with dustbin. The scope includes one counter from quantity specified in tender. Counter at different location like food court, craft stall, adventure zone etc. Or as per instruction of TCGL/Consultant. The drinking water counters shall be functioning during all event days. Agency need to bring more qty of water bottles during weekend and any public holiday to meet the requirement of the heavy flow of visitors is a part of scope of work. The bidder shall ensure for proper cleanliness of such areas by providing proper dust bins and proper removal of garbage. Mode of measurement: Based on actual work executed on site. (for entire event)	4	Nos.		
12a	Temporary Chemical Toilet :(1 no. of Male & 1 no. of Female) P & Installing Mobile chemical toilets of size 2.4mx1.2mx1.1m with water tank capacity of 200 litres with wash basins and facility of liquid soaps for invitees for entire event. Ensure proper functioning of the toilets during entire event. Agency need to provide 2 nos. of chemical toilet and 1 no. of portable toilet van of both Gents and ladies. Mode of measurement: Mode of measurement shall be Unit No. based. (including 2 full time attendant as above).	2	No.		
b	Portable toilet (separate for Gents & Ladies) (2 no. of Male & 2 no. of Female) P/C Portable toilet at venue near Dome side as per instructions of TCGL to be provided by agency. Agency shall provide a full time attendant/ cleaner for maintaining hygiene, cleanliness, operation & maintenance works. The approach towards the toilets shall also be maintained in good condition throughout the event period by agency. All necessary plumbing, fixtures, lights, & works with providing P.V.C. water tank/firm water supply with necessary adequate water pressure is scope of work. The agency shall ensure continuous supply of water to all toilets during event period by any means. Providing soakpit with adequate capacity including proper top cover. The agency shall also provide a complete drainage disposal system for all the toilets by way of suction pumps or any other means. Ensure proper housekeeping in the toilet blocks as well as approach road to toilets & surroundings during entire event. Agency shall ensure that all toilets are functional during entire event. All necessary arrangements/maintenance for water supply, drainage and housekeeping of all Toilets for entire day is part of scope of works. All consumables including cleaning equipments and materials, soap/handwash etc for public etc are part of scope of work. This should be provided on daily basis / or as per requirements. Mode of measurement: Mode of measurement shall be unit no. based. Providing a full time attendant for each toilet block (male & female) is part of scope of work. Portable toilet (including 2 full time attendant as above). Agency must provide enough lighting in/around toilet blocks.	4	No		

13	First Aid counter/Security Cabins (3mtr. X 3mtr. each):- P/E braced and tied steel Structural near Main gate, Sports and Adventure Pavilion or as per requirements of site. As to ensure structural stability in heavy wind velocity, during entire event period. Each structure having area of 6m X 3m with upto 150mm raised wooden flooring using 19mm thick Fire Retardant Plywood, synthetic carpet, roof covered from top with waterproof material, Partitions shall be made in prefabricated aluminum sections (ht. up to 2.50 Mts.) with laminated panels with arrangements for doors. Providing four no. padded chairs, 2 Nos laminated tables and racks. Proper internal lighting and fans to be provided. In first aid counter provide suitable manpower with first aid kit. All wiring should be in FRLS (ISI mark) & in rigid PVC conduit protected with ELCB & voltage stabilizer & dedicated earthing. Mode of measurement: Mode of measurement shall be unit no. based.	1	No.		
14	Parking area for VVIP/VIP/General and related approaches: For min.100 four wheeler & 1000 two wheeler parking as per requirement of TCGL is to be considered with complete M.S. pipe barricading for VVIP/VIP/General Public at more one locations in and around the venue. The work will involve site clearance/removal of debris/plants-grass cutting, grading, leveling and compacting, sprinkling water, Earth filling, Marking of approved parking plan (lineout) on ground with lime, developing entry and exits for two wheelers and four wheelers with service staff. Proper parking plan is to be made to ensure total no. of vehicles to be parked as per requirements/discussion held with TCGL/Traffic Department/Consultant. Ensure concerned site maintenance for entire event period. Proper lighting and General PA system to be provided in General Parking, VIP/VVIP parking as well as existing parking areas. Development of related approaches inside and outside for parking area is part of scope of work. Mode of Measurement: Based on lumpsum basis as per requirement and instruction of TCGL/consultant. (If the developed parking area is lesser than 1500 Sq.mt., the proportionality amt shall be considered.) Parking management by deploying suitable manpower (Atleast 4 persons in the evening)	1	Job		
15a	Boundary wall, Barricading (Single side/Double side), MS-GI pipe railing, Wooden barricading, Mojo barricading, Que managers, etc: P/F Tin plates covered with both the side white/decorative cloth. Cloth shall be stainless and wall shall be in plumb with proper wooden or MS structure for support with minimum 2 Mt. high. This shall be used to isolate the venue from surrounding structures and restrict the entry from outside as required. The MS-GI railing/fencing shall be at least 900 mm high shall not permit easy movement across. All the stages, approach to the stages needs to be protected with necessary exits/access. It is proposed to weld/erect MS members and chain-link fence to be erected. All the railing shall be in proper alignment with uniform height. Quantity to be worked out by bidder considering approved layout. Necessary camouflaging of certain incomplete works or storage areas shall be included in the scope. All electrical installations are to be barricaded. Mode of Measurement: To be considered based on attached layout and design presented by bidder before the committee members. Actual executed measurements to be considered. (a) Tin sheets/plates/GI-MS Pipe/Mojo barricading/Que managers/wooden barricading with decorative cloth on either side.	800	Rmt.		
b	Fabric Walling (Cloth Barricading):- (For entire event days) P/F cloth barricading with proper wooden/steel supports covered with both the side white/Jute/Sand based colour/decorative cloth. Cloth shall be stainless and wall shall be in plumb and min 2.10 Mtr. high as per requirements should not restrict the beauty of beach. All the walling shall be in proper alignment and of uniform height and color. Mode of Measurement: To be considered based on attached layout and design presented by bidder before the committee members. Actual executed measurements to be considered. (for entire event)	400	Rmt.		
16	Water supply and Drainage: From nearest available source to the individual structures, toilets through pipes elevated steel structures, PVC water tanks, valves etc. with adequate pressure by installing pressure pumps. Adequate drainage facilities either by providing sock pit or by providing intermediate chambers and S.W. /PVC pipe lines to connect the existing nearest manhole as and where required. Ensure proper pressure system in supply of water. Agency also need to do suction daily by suction machine from chamber if required. Necessary water supply outlets are to be provided at approved locations at various outlets in the venue for the entire event as per TCGL requirements. Necessary connections shall be taken or in absence of any connections agency has to manage with alternative supply/source of water supply. No additional payment shall be made. Arrangement of Suction truck daily is a part of scope of work. Necessary 2-3 suitable water supply outlets /hand wash counters shall be installed in the venue especially near Food courts/Handicraft stalls etc. with complete water supply/drainage system. Mode of measurement: Mode of measurement shall be lumpsum basic.	1	LS		

17	AMBIENCE & Flower decoration, Potted plants in entire venue:- Theme Decoration to be proposed by the Bidder: The Theme of proposed development is Beach Festival and theme proposed by bidder. The agency need to used swachh bhara abhiyan 3D models also and other related activity. The decoration shall be proposed by the bidder and same shall be finalized in consultation with Art Director and concerned Committee member of TCGL. Other elements of venue seating, creating suitable festival ambience are part of scope. It is to be erected as approved by TCGL/Committee and as per presentation conducted. Preparation and erection of creative display panels is part of scope. Necessary changes suggested by TCGL/Committee/Consultant shall be incorporated without any extra development cost. Detailed specifications and quantification of Ambience elements shall be submitted as a separate Annexure to Price Bid. Necessary 3D models and cutouts Backdrops/Decorative railing & works/Services/Theme lighting/Landscaping/Panel works/Sound arrangements/Making of film or as applicable shall be part of scope of works. Showcasing various electronic scrollers depicting Beach Festival is part of scope of work. Detail specifications and quantification of each items shall be submitted as separate annexure to Price Bid. Mode of Measurement: Based on actual work executed on site.	1	LS		
18	Flags: Good quality satin/silk cloth with proper painted poles in alliance with theme décor with various locations in venue, approach Road & Main Road connect to venue with minimum 30 ft distance between to flags. Agency need to replace the same after 15 days and also whenever required without extra cost.	100	No.		
19a	SERVICES:- Housekeeping (with tools, equipment, consumables etc.): Event Contractor shall have to consider all the service staff from mobilization to demobilization from site, consumables, equipment, tools etc. Providing suitable persons for serving water. Providing Sweepers for General cleaning of the entire venue, Garbage disposal, cleaning of food stall area and toilet cleaning with two teams operating in each block in uniform. Providing drinking water tankers and water dispensers and water tankers. Providing Min. 20 No's of dustbins to maintain venue proper hygiene is a part of scope. Providing skilled manpower like electrician, mason, plumber, carpenter, technician etc as required. Manpower deployment plan is to be submitted to the TCGL/Consultant. Providing drinking water, mineral water bottles and water dispensers at all outlets and within structures is also part of scope of work. Mode of Measurement: Based on actual work executed on site. (Minimum manpower of all services should be atleast 5 nos.)	1	LS		
b	Providing & Managing Security Personnel: Agency shall also provide security personnel at Dome venue and surrounding area, in parking areas & on road side for vehicle movement for entire period of the event and also during the inaugural parade. The Entire team of security person shall be headed by a supervisor, who shall be an ex-service man, which is scope of work of agency. The security personnel shall be in proper uniform (dress code, cap, belt & shoes as approved by TCGL). Security person shall be physically fit and between age limit of 21 to 50 years. The lodging, boarding, transportation, meals etc of entire security team shall be borne by the agency. No extra payment shall be made for this. The security arrangement shall be verified by PMC/TCGL in charge on daily basis. Mode of measurement: No. of personnel per shift per day (24 hours) for entire event. Shift to be arranged by agency as per applicable laws (at a time 5 security personnel has to be there at site). (5 person X 3 shift X 31 days=465). Agency should arrange 3 guards on site and 2 at Sea shore during day time.	465	No		
c	(C). Bouncer (entire event period) for two shift (2 bouncer x 2 shift x 31 days)	124	No		
20	Fire-fighting, extinguishers: P/F Fire extinguishers, sand buckets, water barrels etc. is to be provided as per standard requirement and getting approval from concern Dept. / Fire department. Payment shall be released after submission of written approval from Fire Department by concern agency. If fire extinguishers of expiry date is found an appropriate a penalty shall be levied, over and above the immediate replacement. Arrangement of Fire brigade van need to be done on site if required. The local fire brigadegade should be intouch through out the event.	1	LS		
21	Insecticides :- (During entire event) Providing and spraying (Fogging) Insecticides to all area for making Venue non-allergic, odorless, nontoxic, VOC free, non-carcinogenic, and earth friendly clear on regular basis for every day and whenever required right from beginning of mobilization to last day of event. Agency need to do fogging minimum three to four time daily during evening period. Agency need to keep minimum two fogging machine in working condition on site is a part of scope of work.	1	LS		

22	ELECTRIFICATION: - Power Supply: Getting approval from for main power source as a temporary base. All required payments to be deposited in time, so that there is no delay in sanction of temporary power. The total electricity work for the event is fully to be carried out by the agency from the point of power connection. If the deposit amount is not received from Govt./TCGL in time, contractor have to manage deposit the amount . Contractor must get drawings & load approval within FIVE DAYS from date of final approval of event design & drawing by authority. Making arrangement to obtain power supply from Power Supply Company as per the event electric load. The power, electrification, cabling, installation and testing of various panels, transformer etc., for general site illumination, decorative lighting within venue. Transformer as main power source & DG sets with proper foundation as secondary power source to be provided. All approvals regarding temporary power connection and electrical installations from Transformer, Electrical inspector office and other local authorities. From supply point to individual load point power should be distributed with proper safety precautions and properly rated materials. General Lighting should be provided in entire venue. Decorative lights, series shall be provided along the roads surrounding the venue. All electrical items & cabling is part of scope The details Load calculation chart and Drawing for including Sound System shall be given by the Contractor. However total load application and follow up to obtain temporary power supply from Power Supply Company shall be arranged by the contractor only. Permissions and necessary administrative liasoning with local administration and electricity board is included in scope of work of agency. All Electrification/lighting work shall be done using very good quality material on compulsory basis and upto satisfaction level of TCGL/PMC.	1	LS		
23a	Panels and Distribution Boards:- Temporary Providing, installation and testing of LT panels/Sub panels/ Distribution boards complete with incomer ELR, circuit breakers and change over switches of suitable size and required outgoing circuit breakers & ELCB of suitable size, along with connection of incomer and outgoing cables with required size of load wires and terminations, with suitable safe earthing for each panel/distribution board also including loading, unloading and transportation from vender's store to site store including all labour work as per direction of engineer in charge. Temporary Providing & laying of XLPE(IS:7098) (I)-88 ISI marked armoured/unarmoured multistrand cable of Aluminium/Copper conductor of following size for 1.1 KV to be laid on wall with necessary clamps or in cable trench/pipe at road crossing or floor complete in concealed/under ground manner, including connection and termination also loading, unloading and transportation from vender's store to site store including all labour work as per direction of engineer in charge. (Rated current capacity cables to lay between panels and distribution boards) All the panels/distribution boards should be enclosed by enclosure box and make barricading around the panels/distribution boards such that general public shall not interact with it also it will safe for general public. (All Panels/ Dist. Boards area must barricade and install fire extinguishers) All the panels complete with all the required metering units i.e. Voltmeter, Ammeter, indicating lamp, power factor meter, energy meter etc. All the panel should have all the protection accessories i.e. over volatge, earth leakage, under voltage, over current, etc. Main panels should have minimum capacity of circuit breaker is 250A and maximum capacity is 1000A.(ELR protection at incomer.) Sub panels should have minimum capacity of circuit breaker is 100A and maximum capacity is 400A. (ELR protection at incomer.) Distribution boards should have minimum capacity of circuit breaker is 10A and maximum capacity is 100A. All distribution board should have ELCB protection in incomer. Mode of measurement: Based on actual work executed on site. (a)-Main Panel (I/C from transformer and DG Set) including of all reqd.cables etc.	1	No.		
b	Sub Panel (I/C from Main Panel) including of all reqd.cables etc.	2	No.		
c	Dist. board (I/C from Sub panel or Main Panel) including of all reqd.cables etc.	4	No.		
24a	Electric Wiring & Lighting:- Temporary Providing & erecting various type of light fixture, fan, power plug etc. including various fixtures controlled from SB/Distribution board/Panel, including wiring from panel/DB/SB to fixtures, including wires, pipes, necessary hardware material & labour as per direction of engineer in charge. Wiring shall be done with FRLS type flexible wire of 650V/1100V. The wiring shall be done as per IS 732 and IS 4648. ALL MATERIAL USED SHALL BE FIA & ISI APPROVED. Wiring should be done with minimum 1.5 sqmm flexible wire for light and fan points, for power plug point minimum 2.5 sqmm flexible wire should be used, for AC, Metal Halide and halogen minimum 4 sqmm flexible wire should be used. Circuits of 1.5 sqmm includes 2 run of 1.5 sqmm and 1 run of 1.0 sqmm copper flexible wire. Circuits of 2.5 sqmm includes 2 run of 2.5 sqmm and 1 run of 1.5 sqmm copper flexible wire. Circuits of 4.0 sqmm includes 2 run of 4.0 sqmm and 1 run of 2.5 sqmm copper flexible wire. Electrical arrangements for practice hanger structure for Preevent activities as per choreographer requirements are part of scope of works. (All wiring should be in FRLS(ISI mark) & in rigid PVC conduit protected with ELCB & voltage stabilizer & dedicated earthing.Including tower erecting and fixing.) Mode of measurement: Based on actual work executed on site. (a)-Various Lights (Tube light, decorative light, spot light, CFL light, etc.)The Electrical lighting system must be along with required Truss The agency must ensure safety and security by protecting/covering all the panel/dist.boards,wiring,etc.from the general public without fail.	20	No.		
b	Wall fan, Ceiling fan, pedestal fan, exhaust fan, etc.	10	No.		
c	LED Par Light	24	No.		
d	Sharpy Moving Head	6	No.		

e	250 TO 1000W Flood / MH	30	No.		
f	Halogen up to 500 W	15	No.		
g	5/15 AMP Plug Point	20	No.		
h	Path way light along with pole, fixture, lamp, junction box, etc.	20	No.		
i	(i) LED Screen having pitch of 6mm, outdoor fitting with size of 7.5ft x 10ft. with DVD, pendrive and related items.	2	No		
25	Sound System:- Temporary Providing, installing and testing of Sound System (Six PAIR Flying IINE ARRAY) as per Choreographer/Client requirement along with Amplifier, Micophone, DVD Player, Stage Monitors & Speakers complete Set for Event wiring including required wires/cables for the system and all the accessories. Mode of measurement: Based on actual work executed on site The Sound system must be along with required Truss.	1	Set.		
b	Battery operated Public adress system with speaker and mic setup. Item will be operated in absences of DG failure.	1	Set.		
26	DG Set:- Temporary Providing and testing Silent (Soundproof) DG set of following sizes and getting approval from Electrical inspector and pollution control board also including of loading, unloading and transportation up to site. Daily testing of DG set must be compulsory for minimum up to 60 minutes/2 hours for partial / full load in presence of Consultant/ Electrical Engineer. Mode of measurement: Based on actual work executed on site. (A.) 125 KVA, Agency should quote on average 2 hours/per day of DG running with burning fuel cost.	2	No.		
27	CCTV Camera System: Providing and setting up CCTV camera including PTZ camera at prominent location as directed by Police department/TCGL. Control shall be in Admin Lounge/police lounge. Including camera, DVR, control panel, wiring and all other necessary accessories. The scope is for entire event period. The system shall be ready for checking/performance by concern Dept. /Police Dept. prior to one day before the Inauguration.All wiring should be in FRLS(ISI mark) & in rigid PVC conduit protected with ELCB & voltage stabilizer & dedicated earthing. Mode of measurement: Based on actual work executed on site in No's basic. CCTV Camera	7	No.		
28	Event Management works for entire event : Providing, Maining and Executing well dressed Volunteers with good knowledge of English, Hindi & Gujarati to communicate with dignitaries during entire event. Minimum Qualification criteria should 12th Standard Pass (English Medium) . Manpower for food court, craft satlls, stage operation for entire event days. (Monitoring & Arrangements) (for entire event) Minimum 10 nos. volunteers, 1 nos. supervisor, 1 no. team leader. Arranging minimum 5 no. of Hostess on Inauguration/Closing ceremony as per instruction of TCGL without any extra cost. Agency shall arrange bouquets/Flower decoration on main stage/ tipoy bouquets/Momentos/gifts for VVIP as per instruction of TCGL without extra cost.	1	LS		
29	Managing, upkeeping, providing, arranging of mineral bottled water, tea-coffee, light snacks and beverages, serving and other services at TCGL/Admin room as well as on dias etc. during the event days as per directions of TCGL. This includes providing & managing inventory of branded mineral water, soft drinks, snacks , tea , coffee etc with all necessary accessories, storage, refrigeration, utensils, crockery complete as well as serving staff in uniform and necessary manpower for the purpose. (i) Managing (Services) Arrangements of 125 bottled mineral water daily (branded - 200ml) refrigerated and its distribution to all vvp/vip guests and dias. (Arrangements for minimum 50 peoples around) (Consumption report to be checked and approved by the Officer in Charge.) Minimum staff required 3 person , in total at all concerned lounges and dias management. If required, Agency shall arange for more person for servicing at no extra cost. TCGL concern official shall verify the attendance from time to time during event. Agency shall maintain the attendance register duly signed by the manpower. No extra excess shall be consumed without notice of signature of TCGL office.	1	LS		
30	Providing and arranging Life boat/Life Jackets facilities with proper suitable skill swimming manpower divers, etc. Agency should arrange two skill swimmer/Rescuer in case of any drowing of any tourist/other during the event. Minimum 5 no. of lefe jackets/Tubes/rescue equipments,etc. provide atleast Two security guard at the sea shore to observe the tourist shall be measure seperately. Swmmer must also keep the watch on constant observations is part of scope of work.	1	Ls		

31	Cultural Show at Main Stage: A cultural show at the venue. Duration shall be of 90 minutes on every days. Cultural performance shall include folk dance, raas mandli, garba groups, Siddi dhamal mimicry, dayro, music artists, preferably local artist, etc- to showcase the culture of the state. Entire cultural performance items shall be as approved by TCGL. List of the artists(day wise) should be provided at the time of concept presentation, Arrangements for various personnel, local artists including choreographer, makeup artists, costumes, musical instruments etc, consumables are included in part of scope of work of agency. The cultural program shall be neatly organised and well choreographed. Choreography, music, costumes shall be decent in nature. Any music or mimicry statements from stage shall maintain decorum of the state government function. Any performance which is indecent in nature shall not be allowed. Flow of event and components are to be submitted by the agency as per concept and as per approval of TCGL. Arrangements for transportation, accommodation, food etc for the performers & relevant artists shall be solely made by agency at no extra cost. Anchor/ Master of Ceremony is also included in scope of work. Note - List of the artists(day wise) should be provided at the time of concept presentation.	31	Days		
32a	Developing/Operating Activity Area: The agency shall arrange the necessary seating arrangements, sound and light for all the proposed activities like Dance competition, garba competition, music competition, mehndi competition, kids games, drawing competition, antakshari competition, quiz, photo corner(preferable using beach theme), painting, clay modeling, game joking, touch screen computer quiz game based on wildlife/forest/hills/destinations of gujarat etc including all consumables for proposed activities by bidder. List of the activities(day wise) should be provided at the time of concept presentation Providing manpower including game jockey, announcer, volunteers - 5 nos. etc is part of scope of agency. The announcer provided by the agency shall also ensure proper announcements on behalf of TCGL during entire event period as well as during parades as instructed by TCGL. The bidder shall submit the list of activities proposed for each day of Monsoon festival. Providing, Arranging and operating a plasma tv 42" (2 nos) with DVD, sound system, pendrive for displaying Tourism promotional ads as a part of scope. Note - List of the activities (day wise - Min. 5 activities) should be provided at the time of concept presentation. Agency compulsory need to arrange Mud work artist to do Mud work/Clay artist at sea shore atleast once in a week.	1	LS		
32b	Beach Sports activities: Bidder need to demark the land on site. The bidder has to develop and run adventure & beach sports activities like beach volleyball, rope climbing, Tire climbing, Zorbing, Tug of war, Commando net, beam balancing, Burma bridge, camel riding, horse riding on compulsory basis. The bidder shall not charge for adventure and sports activities.	1	LS		
33a	Providing decorative T-shirt, caps & pens with Gujarat Tourism & Beach festival 2017 logo - sample as approved by TCGL for branding/promotion and incentive. The agency shall provide all the T-shirt, caps, & pens to TCGL official in charge. If required at later stage, agency shall provide more qty of these items at same rate during beach festival. Agency need to provide t-shirt, caps, & pens as winning prize to persons wins in daily activity on site and also to the people as per instruction of TCGL. (a) T-shirt	350	No		
33b	Caps	300	No		
33c	Pen	300	No		
34	Photography & Videography for almost all days of entire event period : Digital Photography: Agency to arrange the digital photo shoot for almost all days of the events. Agency to shoot and compose the photo Album of event date wise, VVIP - VIP, Tourists Visit, different activities, Surrounding Locations and Sights, Culture Program, daily activities, all over ambience, structure, etc. Agency to submit softcopy by way of DVD in duplicate printed date on the DVD and Karizma/Offset Album of size 12" X 15" or 12" X 12" with 200 nos. photos. HD Videography: Agency to arrange, HD Video shoot for almost all days of the event date wise, VVIP - VIP Visit, Tourists Visit, different activities, Surrounding Locations and Sights, Culture Program, daily activities, all over ambience, structure, etc. Agency to shoot and edit the video and to submit the DVDs of edited video. (Max. 30 Mins & 5 Copies of DVDs) Editing and sound mixing is a part of job.	1	LS		
35	Post event report : (in soft copy and hard bounded copy) consisting all event related details, photographs, and data of visitors, participants etc complete for entire event period.	1	LS		
	Total amount in Rs.				
	Total Amount in words				
Notes:					
1	Above quantities may vary depending upon site condition and shall be certified as actual subject to verification at site				

2	Brands Specified in the BOQ is for reference. Any equivalent product shall be allowed subject to prior approval of TCGL/ Consultant.
3	The payment will be made on actual basis for the units maintained and for the period of event days only.
4	Where there is discrepancy between the rates in figures and in words, whichever is less shall govern.
5	Where there is discrepancy between the unit rate and the line item total resulting from multiplying the unit rate by the quantity, the unit rate as quoted will govern.
6	If the total amount of bid quoted is less than actual summation of cost of all the components/parts as the case may be, then the total quoted amount shall govern and difference between the actual summation and amount quoted shall be considered as a discount.
7	If total amount of bid is more than actual summation of cost of all components/parts as the case may be, then the individual cost of the components/parts shall govern and total amount shall be reduced to actual summation and it shall be considered as mistake in totaling.
8	Mode of measurement for billing purpose of Main stage will be carpet area.
9	The Event Contractor shall provide detail enlarged item-by-item specification as an attachment to BOQ as Annexure.
10	The area of structures as stipulated in tender/or TCGL if approved shall be liable for final payments recommendation.
11	The Event Contractor shall provide detail layout and broad functional drawings as an attachment as Annexure.
12	The Event Contractor shall provide detail s of all Ambience elements with quantification as an attachment as Annexure.
13	The Event Contractor shall provide detail s of all Signages with quantification as an attachment as Annexure.
14	The Event Contractor shall provide detail s of Miscellaneous work at Pre-event stage with quantification as an attachment as Annexure.

15	NO GST/Service tax as applicable shall be paid extra. The rates quoted above shall be inclusive of service tax, VAT, octrio, and all other taxes and shall not be separately reimbursed.	
16	Stipulated quantity shall not be permitted to correction.	
17	Placement of structures is likely to vary and has to be executed as finalized by the committee members at no extra cost.	
18	The event contractor considering his own layout and proposal shall consider all the quantities in accordance with the presentation made before the committee. If modifications suggested, same shall be incorporated without any extra cost.	
19	Event contractor shall make provision of Client office & Consultant office separately along with his site office with necessary furniture and furnishing with accessories. He shall also provide skilled, Unskilled persons for immediate attending the defects.	
20	All item rates shall be filled separately. In case of non-fulfillment, the bid will be considered as non-responsive.	
21	Event contractor shall have carefully carried out the work without damaging existing structure. If any damaged claimed by the authority same shall be recovered from final bill.	
22	Wherever the words suitable or necessary or adequate are used means the Event contractor shall provide or fulfill the requirement in consultation with Consultant /TCGL/or other related department.	
23	Mode of measurement shall be in accordance with item description mentioned herewith.	
24	In case of cancellation of event/change of venue for the event before erection of works at venue, no payment will be paid to any of the agencies involved in preparation of such works related to event.	
25	All flooring material like green net / wooven carpet etc. shall be fresh and of good quality and color.	
26	TCGL / Consultant interpretation of language / description for any items shall be final and binding.	
27	Event Contractor shall have to submit Electrical Contractor License Documents.	
28	Event Contractor shall have to depute qualified electrical supervisor at site.	
29	Event Contractor shall have to submit Electrical load calculation for both temporary and permanent structures separately.	
30	Event Contractor shall have to submit Electrical inspector's approved drawing and test reports.	
31	Event Contractor shall have to submit fire department approval certificate.	
32	Event Contractor shall have to submit local pollution control board approval certificate for DG set.	
33	All cabling work shall be underground; no cable shall be exposed outside at any location.	
34	Event Contractor shall make provision of for barricading all the electrical panels and distribution boards.	
35	All the panels and distribution boards shall be properly earthed (Dedicated Earthing).	
36	All metallic structures of the venue shall be properly earthed.	
37	Any ambiguity found in Technical or Price bid shall be brought to the notice in writing during pre-bid meeting.	
38	All materials have to be fire retardant and necessary documentation evidence/certificates are to be provided.	
39	Agency need to do Proper anchoring in all structure.	
40	If the deposit amount not received from Govt./TCGL in time, contractor have to manage share of 100% of deposit amount by his own and by all means, (The same amount shall be reimbursed later on from Govt/TCGL without any service charge or interest.)	
41	Above enlisted Annexures shall be submitted in seperate cover (Hard Copy) along with bid submission. Agencies who have submitted Hard copies of Annexure will be eligible for Presentation/price bid opening. Failure of non compliance will result in non acceptance of Bids.	
	Sign & Seal of the Bidder	Executive Engineer-TCGL